

JDYX7.E340427 - Fuses, Supplemental Certified for Canada

Fuses, Supplemental Certified for Canada

See General Information for Fuses, Supplemental Certified for Canada

DONGGUAN REOMAX ELECTRONICS TECHNOLOGY CO LTD
Ditangling Industrial Park Datang Village Dalingshan Town
Dongguan, Guangdong 523800 CHINA
Supplemental fuses

E340427

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
SFC	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000
		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200
STC	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000
		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200

Supplemental micro fuses: pigtail leads

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
PFU	3.6 x 10 (0.14 x 0.39)	0.25 - 0.5	125Vac	50

		0.25 - 0.5	250Vac	50
		0.63 - 1.6	125Vac	50
		0.63 - 1.6	250Vac	50
		2 - 5	125Vac	50
		2 - 5	250Vac	50
PTU	3.6 x 10 (0.14 x 0.39)	0.25 - 0.4	125Vac	50
		0.25 - 0.4	250Vac	50
		0.5 - 5	125Vac	50
		0.5 - 5	250Vac	50
SFP	3.6 x 10 (0.14 x 0.39)	0.25 - 0.5	125Vac	50
		0.25 - 0.5	250Vac	50
		0.63 - 1.6	125Vac	50
		0.63 - 1.6	250Vac	50
		2 - 5	125Vac	50
		2 - 5	250Vac	50
STP	3.6 x 10 (0.14 x 0.39)	0.25 - 0.4	125Vac	50
		0.25 - 0.4	250Vac	50
		0.5 - 5.0	125Vac	50
		0.5 - 5.0	250Vac	50

Supplemental micro fuses: pigtail leads, filled-tube

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
MTS, MFS, NTS, NFS, FMS, TMS Series MTS is identical to MFS, TMS, FMS, NTS and NFS except for series name designation.				
	8.4 x 8.2 x 4 (0.33 x 0.32 x 0.16)	0.05 - 20	250Vac	200
		0.05 - 20	300Vac	200
		0.05 - 20	350Vac	200
		0.05 - 20	400Vac	200
		0.05 - 20	250Vdc	200
		0.05 - 20	300Vdc	200
		0.05 - 20	350Vdc	200
		0.05 - 20	400Vdc	200

Trademark and/or Tradename:



Last Updated on 2020-05-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"